

## P250 Stick-on

Revision date: 11.02.2024

Page 1 of 8

**1. Identification****Product identifier**

P250 Stick-on

**Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Klebstoffe, Dichtstoffe

**Details of the supplier of the safety data sheet**

Company name: Hottinger Brüel & Kjaer  
Street: Im Tiefen See 45  
Place: D-64293 Darmstadt  
Telephone: +49 (0)6151 803-0  
Internet: www.hbm.com  
Responsible Department: +49(0)6131 19240 support@hbm.com

**Emergency telephone number:** 1703-741-5970**2. Hazard identification****Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

**Label elements****Regulation (EC) No 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

**Special labelling of certain mixtures**

Restricted to professional users.

**Other hazards**

Es liegen keine Informationen vor.

**3. Composition/information on ingredients****Mixtures****Hazardous components**

| CAS No   | Chemical name  | Quantity   |
|----------|--|------------|
| 100-97-0 | methenamine; hexamethylenetetramine                      | 5 - < 10 % |
| 108-95-2 | phenol; carbolic acid; monohydroxybenzene; phenylalcohol | < 1 %      |

Full text of H statements: see section 16.

## P250 Stick-on

Revision date: 11.02.2024

Page 2 of 8

**Specific Conc. Limits, M-factors and ATE**

| CAS No   | EC No     | Chemical name  | Quantity |
|----------|-----------|--|----------|
|          |           | Specific Conc. Limits, M-factors and ATE   |          |
| 108-95-2 | 203-632-7 | phenol; carboic acid; monohydroxybenzene; phenylalcohol  | < 1 %    |
|          |           | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1B; H314: >= 3 - 100 Skin Irrit. 2; H315: >= 1 - < 3 Eye Irrit. 2; H319: >= 1 - < 3 |          |

**4. First-aid measures****Description of first aid measures****General information**

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**Most important symptoms and effects, whether acute or delayed**

No information available.

**Indication of immediate medical attention and special treatment needed**

No information available.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

Water spray jet, Dry extinguishing powder, Foam

**Unsuitable extinguishing media**

Full water jet

**Specific hazards arising from the hazardous product**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**Special protective equipment and precautions for fire-fighters**

Wear a self-contained breathing apparatus and chemical protective clothing.  
Co-ordinate fire-fighting measures to the fire surroundings.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****General advice**

Do not breathe gas/vapour/aerosol.

**P250 Stick-on**

Revision date: 11.02.2024

Page 3 of 8

Provide adequate ventilation as well as local exhaust at critical locations.  
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.  
Use personal protection equipment.  
Personal protection equipment: see section 8

**For non-emergency personnel**

Remove persons to safety.

**For emergency responders**

First aider: Pay attention to self-protection!

**Environmental precautions**

Do not allow to enter into surface water or drains.  
Do not allow uncontrolled discharge of product into the environment.

**Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Take up mechanically, placing in appropriate containers for disposal.

**Reference to other sections**

Safe handling: see section 7  
Wear personal protection equipment (refer to section 8).  
Disposal: see section 13

**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

**Advice on protection against fire and explosion**

No special technical protective measures are necessary.

**Further information on handling**

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

**Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

**Further information on storage conditions**

No information available.

**8. Exposure controls/Personal protection****Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

## P250 Stick-on

Revision date: 11.02.2024

Page 4 of 8

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

### Protective and hygiene measures

When using do not eat or drink. Do not breathe gas/fumes/vapour/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

### Eye/face protection

not relevant

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material:  $\geq 0,7$ mm

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time:  $\geq 480$  min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Used working clothes should not be worn outside the work area. Separate storage of work clothes.

### Respiratory protection

not relevant

### Environmental exposure controls

Do not allow to enter into surface water or drains.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

|                 |             |                |
|-----------------|-------------|----------------|
| Physical state: | solid       |                |
| Colour:         | light brown |                |
| Odour:          | Solvents    |                |
| pH-Value:       |             | not determined |

### Changes in the physical state

|                               |  |                   |
|-------------------------------|--|-------------------|
| Melting point/freezing point: |  | not determined    |
| Sublimation point:            |  | not determined    |
| Softening point:              |  | not determined    |
| Pour point:                   |  | not determined    |
| not determined:               |  |                   |
| Sustaining combustion:        |  | No data available |

### Flammability

|               |  |                |
|---------------|--|----------------|
| Solid/liquid: |  | not determined |
|---------------|--|----------------|

### Explosive properties

not determined

|                            |  |                |
|----------------------------|--|----------------|
| Lower explosive limits:    |  | not determined |
| Upper explosive limits:    |  | not determined |
| Auto-ignition temperature: |  | not determined |

### Self-ignition temperature

|        |  |                |
|--------|--|----------------|
| Solid: |  | not determined |
|--------|--|----------------|

**P250 Stick-on**

Revision date: 11.02.2024

Page 5 of 8

|  |                |
|--|----------------|
| Gas:                                   | not determined |
| Decomposition temperature:             | not determined |
| <b>Oxidizing properties</b>            |                |
| not determined                         |                |
| Vapour pressure:<br>(at 20 °C)         | not determined |
| Vapour pressure:<br>(at 50 °C)         | not determined |
| Density:                               | not determined |
| Bulk density:                          | not determined |
| Water solubility:                      | not determined |
| <b>Solubility in other solvents</b>    |                |
| not determined                         |                |
| Partition coefficient n-octanol/water: | not determined |
| Viscosity / dynamic:                   | not determined |
| Viscosity / kinematic:                 | not determined |
| Flow time:                             | not determined |
| Relative vapour density:               | not determined |
| Evaporation rate:                      | not determined |
| Solvent separation test:               | not determined |
| Solvent content:                       | not determined |

**Other information**

|                           |        |
|---------------------------|--------|
| Solid content:            | 9,99 % |
| No information available. |        |

**10. Stability and reactivity****Reactivity**

No information available.

**Chemical stability**

The substance is chemically stable under recommended conditions of storage, use and temperature.

**Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**Conditions to avoid**

No information available.

**Incompatible materials**

No information available.

**Hazardous decomposition products**

No information available.

**11. Toxicological information****Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 10101 mg/kg; ATE (dermal) 30303 mg/kg; ATE (inhalation vapour) 303,0 mg/l; ATE (inhalation dust/mist) 50,51 mg/l

## P250 Stick-on

Revision date: 11.02.2024

Page 6 of 8

| CAS No   | Chemical name   |                  |         |        |        |
|----------|---|------------------|---------|--------|--------|
|          | Route of exposure                                       | Dose             | Species | Source | Method |
| 108-95-2 | phenol; carboic acid; monohydroxybenzene; phenylalcohol |                  |         |        |        |
|          | oral  | ATE 100<br>mg/kg |         |        |        |
|          | dermal  | ATE 300<br>mg/kg |         |        |        |
|          | inhalation vapour                                       | ATE 3 mg/l       |         |        |        |
|          | inhalation dust/mist                                    | ATE 0,5 mg/l     |         |        |        |

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitizing effects**

May cause an allergic skin reaction. (methenamine; hexamethylenetetramine)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No information available.vor.

**Additional information on tests**

No information available.

**Practical experience**

No information available.

**Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other information**

No information available.

**Further information**

No information available.

**12. Ecological information****Persistence and degradability**

No information available.

**Bioaccumulative potential**

No information available.

**Mobility in soil**

No information available.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## P250 Stick-on

Revision date: 11.02.2024

Page 7 of 8

**Other adverse effects**

No information available.

**Further information**

No information available.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation.

**14. Transport information****Canadian TDG****Proper shipping name:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****UN number:**

No dangerous good in sense of this transport regulation.

**United Nations proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****UN number:**

No dangerous good in sense of this transport regulation.

**United Nations proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**15. Regulatory information****Canadian regulations****16. Other information****Changes**

This data sheet contains changes from the previous version in section(s): 6,7,8,9,11,12,14.

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008**

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Skin Sens. 1; H317 | Calculation method       |

**Relevant H statements (number and full text)**

|      |  |
|------|--|
| H228 | Flammable solid.   |
| H301 | Toxic if swallowed.  |
| H311 | Toxic in contact with skin.  |
| H314 | Causes severe skin burns and eye damage.                           |
| H317 | May cause an allergic skin reaction.                               |
| H331 | Toxic if inhaled.  |
| H341 | Suspected of causing genetic defects.                              |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

## P250 Stick-on

Revision date: 11.02.2024

Page 8 of 8

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*