

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

P250 Stick-on

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Klebstoffe, Dichtstoffe

#### 1.3. Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer  
Street: Im Tiefen See 45  
Place: D-64293 Darmstadt  
Telephone: +49 (0)6151 803-0  
Internet: www.hbm.com  
Responsible Department: +49(0)6131 19240 support@hbm.com

#### 1.4. Emergency telephone number:

+353 1014670

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Methenamin; Hexamethylentetramin

Signal word: Warning

##### Pictograms:



##### Hazard statements

H317 May cause an allergic skin reaction.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

##### Special labelling of certain mixtures

Restricted to professional users.

#### 2.3. Other hazards

Es liegen keine Informationen vor.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 2 of 9

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
100-97-0	methenamine; hexamethylenetetramine			5 - < 10 %
	202-905-8	612-101-00-2		
	Flam. Sol. 2, Skin Sens. 1; H228 H317			
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol			< 1 %
	203-632-7	604-001-00-2		
	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, STOT RE 2; H341 H331 H311 H301 H314 H373			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
108-95-2	203-632-7	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	< 1 %
	inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1B; H314: >= 3 - 100 Skin Irrit. 2; H315: >= 1 - < 3 Eye Irrit. 2; H319: >= 1 - < 3		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Dry extinguishing powder, Foam

#### Unsuitable extinguishing media

Full water jet

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 3 of 9

### **5.2. Special hazards arising from the substance or mixture**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Do not breathe gas/vapour/aerosol.

Provide adequate ventilation as well as local exhaust at critical locations.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Use personal protection equipment.

Personal protection equipment: see section 8

#### **For non-emergency personnel**

Remove persons to safety.

#### **For emergency responders**

First aider: Pay attention to self-protection!

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

### **6.3. Methods and material for containment and cleaning up**

#### **For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Take up mechanically, placing in appropriate containers for disposal.

### **6.4. Reference to other sections**

Safe handling: see section 7

Wear personal protection equipment (refer to section 8).

Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### **Advice on protection against fire and explosion**

No special technical protective measures are necessary.

#### **Further information on handling**

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 4 of 9

### Further information on storage conditions

No information available.

### 7.3. Specific end use(s)

Adhesives, sealants

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
108-95-2	Phenol	2	8		TWA (8 h)	
		4	16		STEL (15 min)	

#### Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
108-95-2	Phenol	Phenol	120 mg/g	Creatinine	End of shift

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Protective and hygiene measures

When using do not eat or drink. Do not breathe gas/fumes/vapour/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

#### Eye/face protection

not relevant

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material:  $\geq 0,7\text{mm}$

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time:  $>480\text{ min}$

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Used working clothes should not be worn outside the work area. Separate storage of work clothes.

#### Respiratory protection

not relevant

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 5 of 9

### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	light brown	
Odour:	Solvents	
pH-Value:		not determined

#### Changes in the physical state

Melting point/freezing point:		not determined
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
not determined:		
Sustaining combustion:		No data available

#### Flammability

Solid/liquid:		not determined
---------------	--	----------------

#### Explosive properties

not determined

Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		not determined

#### Self-ignition temperature

Solid:		not determined
Gas:		not determined

Decomposition temperature:		not determined
----------------------------	--	----------------

#### Oxidizing properties

not determined

Vapour pressure: (at 20 °C)		not determined
Vapour pressure: (at 50 °C)		not determined
Density:		not determined
Bulk density:		not determined
Water solubility:		not determined

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water:		not determined
Viscosity / dynamic:		not determined
Viscosity / kinematic:		not determined
Flow time:		not determined
Relative vapour density:		not determined
Evaporation rate:		not determined
Solvent separation test:		not determined
Solvent content:		not determined

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 6 of 9

### 9.2. Other information

Solid content: 9,99 %

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) 10101 mg/kg; ATE (dermal) 30303 mg/kg; ATE (inhalation vapour) 303,0 mg/l; ATE (inhalation dust/mist) 50,51 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
108-95-2	phenol; carboic acid; monohydroxybenzene; phenylalcohol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (methenamine; hexamethylenetetramine)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 7 of 9

### Specific effects in experiment on an animal

No information available.vor.

### Additional information on tests

No information available.

### Practical experience

No information available.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other information

No information available.

#### Further information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
108-95-2	phenol; carboic acid; monohydroxybenzene; phenylalcohol					
	Acute algae toxicity	ErC50	229 mg/l	72 h	GESTIS	

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
108-95-2	phenol; carboic acid; monohydroxybenzene; phenylalcohol	1,5

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### Further information

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 8 of 9

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Kein Gefahrgut im Sinne dieser Transportvorschriften.

### 14.7. Maritime transport in bulk according to IMO instruments

Kein Gefahrgut im Sinne dieser Transportvorschriften.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 0,99 %

Directive 2004/42/EC on VOC in paints and varnishes: 0,99 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## P250 Stick-on

Revision date: 11.02.2024

Page 9 of 9

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 6,7,8,9,11,12,14.

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

#### Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*