

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

1 Identification

- **Product identifier**
- **Trade name: EP150 Stick-on**
- **Other means of identification**
- **Application of the substance / the mixture**
Adhesives
Coating
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Hottinger Brüel & Kjaer GmbH
Im Tiefen See 45
D-64293 Darmstadt
Germany
Tel: +49 6151 803 0
E-Mail: info@hbkworld.com
<https://www.hbkworld.com>
- **Information department:**
Tel. +49(0)6131 19240
EMail support-esa@hbkworld.com
- **Emergency telephone number:**
Canada:
+1 800 332 1414 (Alberta, NW Territories);
+1 866 454 1212 (Saskatchewan);
+1 403 944 1414 (Calgary, outside Alberta, VOIP users)
Poison and Drug Information Services
Foothills Medical Centre
1403 29th Street N.W.
T2N 2T9 Calgary

National Capital Poison Center, U.S.A.:
1-800-222-1222
3201 New Mexico Ave Ste 310
20016 Washington, DC
USA
CHEMTREC: +1 703-741-5970 (24h emergency call).
Outside continental USA please call CHEMTREC at +1-703-527-3887 (R-calls are accepted).

2 Hazard identification

- **Classification of the substance or mixture**



- Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed.
- Skin Irritation - Category 2 H315 Causes skin irritation.
- Eye damage/irritation – Category 2A H319 Causes serious eye irritation.
- Sensitization - skin – Category 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 1)

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)
dapsonsone
- **Hazard statements**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
Please refer to additional labeling elements in Section 15 of this Safety Data Sheet, if applicable.

3 Composition/Information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below, possibly with undeclared additives.

- **Dangerous components:**

CAS: 25068-38-6 RTECS: KC 2450000	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	60 - 80% w/w *
CAS: 80-08-0 RTECS: BY 8925000	dapsonsone	10 - 30% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Personal protection for the First Aider.
If symptoms occur or in case of doubt consult a doctor.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

-CA

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

In case of skin irritations or sensitizing effects, consult doctor.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Remove contact lenses if possible.

- **After swallowing:**

Rinse out mouth.

In case of disorders get medical advice.

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

Use fire fighting measures that suit the environment.

Alcohol-resistant foam, extinguishing powder or carbon dioxide. Fight larger fire with water spray.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **Special hazards arising from the substance or mixture**

Inhalation of combustion gases may cause serious health hazards.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Sulphur oxides (SO_x)

- **Advice for firefighters**

- **Protective equipment:** Wear self-contained respiratory protective device.

- **Additional information** Remove goods in stock from incendiary zone, if possible.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.

- **For non-emergency personnel** Avoid contact with the product.

- **For emergency responders** Put on suitable personal protective equipment.

- **Environmental precautions:**

Do not allow to enter drainage system, ground/soil and water bodies.

Inform respective authorities in case of seepage into water course or sewage system.

- **Methods and material for containment and cleaning up:**

Collect mechanically and disposal in suitable containers.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**

Prevent formation of dust.

Ensure sufficient ventilation.

(Contd. on page 4)

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 3)

- Avoid inhalation of dusts.
- Do not inhale gases/vapours/aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Handling:**
 - Do not eat, drink, smoke or sniff while working.
 - Avoid direct contact with eyes, skin and clothing.
 - Do not inhale gases / fumes / aerosols.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
 - Only store in suitable containers (e.g. containers authorised under dangerous goods legislation).
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Keep container tightly closed and store in a dry, cool and well ventilated place.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/ Personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Wash hands before breaks and at the end of work.
 - Wash contaminated clothing before re-use.
 - Avoid direct contact with eyes, skin and clothing.
- **Breathing equipment:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

- Only use chemical-protective gloves with CE-labeling of category III.
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - Butyl rubber, BR
 - Recommended material thickness: 0.3 mm, breakthrough time: 480 min.

(Contd. on page 5)

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 4)

Nitrile rubber, NBR

Recommended material thickness: 0.4 mm, breakthrough time: 480 min.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Solid

- **Color:**

Yellow

- **Odor:**

Characteristic

- **Odor threshold:**

Not determined.

- **Melting point/Melting range:**

Undetermined.

- **Boiling point/Boiling range:**

Undetermined.

- **Flammability:**

Not determined.

- **Explosion limits:**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

252 °C

- **Auto igniting:**

Product is not selfigniting.

- **Decomposition temperature:**

Not determined.

- **SADT**

- **pH-value:**

Not applicable.

- **Viscosity:**

- **Kinematic:**

Not applicable.

- **Dynamic:**

Not applicable.

- **Solubility in / Miscibility with**

- **Water:**

Soluble.

- **Segregation coefficient (n-octanol/water):**

Not determined.

- **Vapor pressure:**

Not applicable.

- **Density:**

Not determined.

- **Relative density**

Not determined.

- **Vapor density**

Not applicable.

- **Particle characteristics**

No further details.

- **Other information**

- **Appearance:**

- **Form:**

Solid

- **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:**

Product is not selfigniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

(Contd. on page 6)

-CA

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 5)

- **Change in condition**
 - **Evaporation rate**
- Not applicable.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,904 mg/kg
------	------	-------------

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)

Oral	LD50	> 2,000 mg/kg (Rat) (OECD 420)
------	------	--------------------------------

		19,800 mg/kg (Rabbit)
--	--	-----------------------

Dermal	LD50	> 23,000 mg/kg (Rabbit)
--------	------	-------------------------

80-08-0 dapsons

Oral	LD50	375 mg/kg (Mouse)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

80-08-0	dapsons	3
---------	---------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 6)

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

EC50 (static)	2.7 mg/l/48h (Daphnia magna) (EPA-660/3-75-009)
LC50	220 mg/l/96h (Algae)
	1.75 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

- **Persistence and degradability** No further relevant information available.

- **Other information:** There are no data available about the preparation.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water (german regulation)

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**

- **DOT/TDG, ADR, IMDG, IATA**

UN1133

- **UN proper shipping name**

- **DOT/TDG**

Adhesives

- **ADR**

1133 Adhesives, ENVIRONMENTALLY HAZARDOUS

- **IMDG, IATA**

ADHESIVES

(Contd. on page 8)

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 7)

- **Transport hazard class(es)**

- **DOT/TDG (Transport dangerous goods):**



- **Class** 3 Flammable liquids
No hazardous good
- **Label** 3

- **ADR**



- **Class** 3 (F1) Flammable liquids
- **Label** 3

- **IMDG**



- **Class** 3 Flammable liquids
- **Label** 3

- **IATA**



- **Class** 3 Flammable liquids
- **Label** 3

- **Packing group**

- **DOT/TDG, ADR, IMDG, IATA** I

- **Environmental hazards:**

- **Marine pollutant:** Symbol (fish and tree)

- **Special marking (ADR):** Symbol (fish and tree)

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

- **Transport/Additional information:**

- **DOT/TDG**

- **Quantity limitations** On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L

- **ADR**

- **Excepted quantities (EQ)** Code: E3
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 300 g

(Contd. on page 9)

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 8)

· IMDG	
· Limited quantities (LQ)	500 ml
· Excepted quantities (EQ)	Code: E3
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 300 g
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	33
· EMS Number:	F-E,S-D
· Stowage Category	E
· UN "Model Regulation":	UN 1133 ADHESIVES, 3, I, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

- **Canadian substance listings:**

- **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

- **Canadian Non-Domestic Substances List (NDSL)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

- **Per- and polyfluoroalkyl substances (PFAS)**


None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:**

 **DEKRA** This Safety Data Sheet has been drawn up in cooperation with:
DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

(Contd. on page 10)

CA

Safety Data Sheet

according to HPR, Schedule 1

Date of issue 08/31/2025

Version number 1

Revision: 08/21/2025

Trade name: EP150 Stick-on

(Contd. of page 9)

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· Kit-Components:**· Date of preparation** 08/31/2025**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· * Data compared to the previous version altered.

CA