

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

· **1.1 Product identifier**

- **Trade name: EP310N Komp. B**
- **UFI: QKW5-1YTH-N5NU-Y2FD**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

- **Product category PC1 Adhesives, sealants**
- **Application of the substance / the mixture Two-component adhesive**

· **1.3 Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**
HOTTINGER BRÜEL & KJÆR UK LTD
Advanced Manufacturing Park Technology Centre
Brunel Way, Catcliffe, Rotherham
South Yorkshire, S60 5WG
United Kingdom
Phone: +44 (0) 1145 512230
Email: info@uk.hbm.com

· **Informing department:**

Tel. +49(0)6131 19240
EMail support-esa@hbkworl.com

· **1.4 Emergency telephone number:**

Gift-Informationszentrum Nord, Göttingen
Poison Information Center, Göttingen
Tel.: +49 (0)551 19240
(German and English only)

United Kingdom:

National Poisons Information Service
Emergency number: +44 844 892 0111

Poisons Information Centre of Ireland:

+353 1 837 9964 for medical professionals
+353 1 809 2166 for public inquiries
CHEMTREC: +44 20 3807 3798 (24h emergency call).
Outside continental USA please call CHEMTREC at +1-703-527-3887 (R-calls are accepted).

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 1)



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2 H319 Causes serious eye irritation.
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02 GHS07 GHS09

· Signal word Danger

· Hazard-determining components of labelling:

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol acetone

· Hazard statements

H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260 Do not breathe mist/vapours/spray.
 P280 Wear protective gloves / eye protection / face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Please refer to further labelling elements in section 15 of this safety data sheet, if applicable.
 Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 2)

- **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below, possibly with undeclared additives.

- **Dangerous components:**

CAS: 9003-36-5 NLP: 500-006-8 Reg.nr.: 01-2119454392-40-X	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	25 - 100%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49-X	acetone ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	25 - 50%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Personal protection for the First Aider.
If symptoms occur or in case of doubt consult a doctor.
- **After inhalation**
Supply fresh air and call for doctor for safety reasons.
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
In case of skin irritations or sensitizing effects, consult doctor.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
Remove contact lenses if possible.
Use eye protection.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of disorders get medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Inhalation of combustion gases may cause serious health hazards.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 3)

During incomplete combustion carbon monoxide can be formed.
Formation of flammable mixtures of vapours with air possible.

- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Use water to keep fire exposed containers cool.
If possible without risk, move containers from fire area.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **For non-emergency personnel** Avoid contact with the product.
- **For emergency responders** Put on suitable personal protective equipment.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, ground/soil and water bodies.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Dispose of the material collected according to regulations.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Store in cool location.
Only store in suitable containers (e.g. containers authorised under dangerous goods legislation).
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
Keep container tightly closed and store in a dry, cool and well ventilated place.
Protect from frost.
Protect from heat and direct sunlight.
Protect from humidity and keep away from water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
- **7.3 Specific end use(s)** No further relevant information available.

EU

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit

OEL: Occupational Exposure Limit

IOELV: Indicative Occupational Exposure Limit Values, workplace threshold value of the European Union

67-64-1 acetone

IOELV (European Union)	Long-term value: 1210 mg/m ³ , 500 ppm
WEL (Great Britain)	Short-term value: 3620 mg/m ³ , 1500 ppm Long-term value: 1210 mg/m ³ , 500 ppm

DNELs

9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral	DNEL (consumer, long-term, systemic)	6.25 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	104.15 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	62.5 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	29.39 mg/m ³ (human)
	DNEL (consumer, long-term, systemic)	8.7 mg/m ³ (human)

67-64-1 acetone

Oral	DNEL (consumer, long-term, systemic)	62 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	186 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	62 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	1,210 mg/m ³ (human)
	DNEL (consumer, long-term, systemic)	200 mg/m ³ (human)
	DNEL (worker, short-term, local)	2,420 mg/m ³ (human)

PNECs

9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

PNEC aqua (fresh water)	0.003 mg/L (.)
PNEC Water (marine water)	0.0003 mg/L (.)
PNEC STP - Sewage Treatment Plant	10 mg/L (.)
PNEC soil	0.237 mg/kg soil dw (.)
PNEC sediment (fresh water)	0.294 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0.0294 mg/kg sedim. dw (.)
PNEC Water (sporadic release)	0.0254 mg/L (.)

67-64-1 acetone

PNEC aqua (fresh water)	10.6 mg/L (.)
PNEC Water (marine water)	1.06 mg/L (.)
PNEC STP - Sewage Treatment Plant	100 mg/L (.)
PNEC soil	29.5 mg/kg soil dw (.)
PNEC sediment (fresh water)	30.4 mg/kg sedim. dw (.)
PNEC sediment (marine water)	3.04 mg/kg sedim. dw (.)
PNEC Water (sporadic release)	21 mg/L (.)

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 5)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Wash contaminated clothing before re-use.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Hand protection**



Protective gloves.

Only use chemical-protective gloves with CE-labelling of category III (EN 374).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Recommended material thickness: 0.7 mm, breakthrough time: 480 min.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed safety glasses.



Face protection

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Yellowish

· **Odour:**

Acetone-like

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 6)

· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	56.1 °C
· Flammability	Highly flammable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	< -20 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· SADT	
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	0.82 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Particle characteristics	No further details.
9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
· Solvent content:	
· Organic solvents:	25.9 - 38.3 %
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 7)

- | | |
|--|------|
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Information on the shelf life** The product is stable.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** All sources of ignition: heat, sparks, open flame, electrostatic discharges.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral	LD50	> 5,000 mg/kg (Rat) (OECD 401)
------	------	--------------------------------

Dermal	LD50	> 2,000 mg/kg (Rat) (OECD 402)
--------	------	--------------------------------

67-64-1 acetone

Oral	LD50	5,800 mg/kg (Rat)
------	------	-------------------

Dermal	LD50	> 7,426 mg/kg (guinea pig) (21 CFR 191.10)
--------	------	--

		> 7,426 mg/kg (rabbit) (21 CFR 191.10)
--	--	--

Inhalative	LC50	132 mg/l/3h (Rat)
------------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 8)

- **Additional toxicological information:**

- **Repeated dose toxicity**

9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral	NOAEL (90d)	250 mg/kg bw/day (Rat) (OECD 408)
------	-------------	-----------------------------------

67-64-1 acetone

Oral	NOAEL (90d)	3,100 mg/kg bw/day (Rat) (OECD 408)
------	-------------	-------------------------------------

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

EC50 (static)	> 1,000 mg/l/48h (Daphnia magna) (OECD 202)
---------------	---

LC50	> 1,000 mg/l/96h (Oncorhynchus mykiss) (OECD 203)
------	---

67-64-1 acetone

EC50	> 10,000 mg/l/24h (Daphnia magna)
------	-----------------------------------

LC50 (dynamic)	8,120 mg/l/96h (Pimephales promelas) (OECD 203)
----------------	---

- **12.2 Persistence and degradability** No further relevant information available.

- **Other information:** There are no data available about the preparation.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 9)

· European waste catalogue	
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02 00	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 08*	other still bottoms and reaction residues
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising
HP14	Ecotoxic

· **Uncleaned packagings:**· **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**· **ADR/RID, IMDG, IATA**

UN1866

· **14.2 UN proper shipping name**· **ADR/RID**

1866 RESIN SOLUTION, ENVIRONMENTALLY HAZARDOUS, special provision 640D

· **IMDG**

RESIN SOLUTION, MARINE POLLUTANT

· **IATA**

RESIN SOLUTION

· **14.3 Transport hazard class(es)**· **ADR/RID**· **Class**

3 (F1) Flammable liquids.

· **Label**

3

· **IMDG**· **Class**

3 Flammable liquids.

· **Label**

3

(Contd. on page 11)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 10)

· IATA



· **Class** 3 Flammable liquids.
Not Restricted.

· **Label** 3

· **14.4 Packing group**
· **ADR/RID, IMDG, IATA** II

· **14.5 Environmental hazards:** Product contains environmentally hazardous substances: EPOXY RESIN

· **Marine pollutant:** Symbol (fish and tree)

· **Special marking (ADR/RID):** Symbol (fish and tree)

· **14.6 Special precautions for user** Warning: Flammable liquids.

· **Kemler Number:** 33

· **EMS Number:** F-E, S-E

· **Stowage Category** B

· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

· **Transport/Additional information:**

· **ADR/RID**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2

· **Tunnel restriction code** D/E

· **IMDG**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 1866 RESIN SOLUTION, 3, II,
ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

(Contd. on page 12)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 11)

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII**
Taking into account the intended use as specified in section 1, the relevant entries from Annex XVII are carried out.
Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

67-64-1	acetone
---------	---------

· **Regulation (EC) No 273/2004 on drug precursors**

67-64-1	acetone	3
---------	---------	---

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

67-64-1	acetone	3
---------	---------	---

· **National regulations**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is contained.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet meets the requirements of Regulation (EU) 2015/830 and 2020/878 amending Annex II of Regulation (EC) 1907/2006.

· **Relevant phrases**

The phrases specified here are no labelling elements for the product but repeat the properties of the ingredients from section 3.

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· **Classification according to Regulation (EC) No 1272/2008** Calculation method

· **Department issuing data specification sheet:**



This Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

(Contd. on page 13)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: EP310N Komp. B

(Contd. from page 12)

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

EU