

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BCY01

UFI: RJNT-SUVA-84MS-VRDH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aktivator

1.3. Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer
Street: Im Tiefen See 45
Place: D-64293 Darmstadt
Telephone: +49 (0)6151 803-0
Internet: www.hbm.com
Responsible Department: +49(0)6131 19240 support@hbm.com

1.4. Emergency telephone number:

+353 1014670

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225
Asp. Tox. 1; H304
Skin Irrit. 2; H315
STOT SE 3; H336
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements


Regulation (EC) No 1272/2008

Hazard components for labelling

Naphtha (Erdöl), mit Wasserstoff behandelt, leichte; Naphtha, wasserstoffbehandelt, niedrigsiedend

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P201 Obtain special instructions before use.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 2 of 12

Special labelling of certain mixtures

Restricted to professional users.

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word:

Danger

Pictograms:



Precautionary statements

P280-P201

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 64742-49-0 | Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha | | | 50 - 100 % |
| | 265-151-9 | 649-328-00-1 | | |
| | Carc. 1B, Muta. 1B, Asp. Tox. 1; H350 H340 H304 | | | |
| 110-82-7 | cyclohexane | | | 5 - < 10 % |
| | 203-806-2 | 601-017-00-1 | | |
| | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410 | | | |
| 110-54-3 | n-hexane | | | 0,1 - < 1 % |
| | 203-777-6 | 601-037-00-0 | | |
| | Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H225 H361f H315 H336 H373 H304 H411 | | | |
| 99-97-8 | N,N-dimethyl-p-toluidineN,N-dimethyl-p-toluidine | | | 0,1 - < 1 % |
| | 202-805-4 | 612-056-00-9 | | |
| | Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Chronic 3; H331 H311 H301 H373 H412 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | |
|----------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------------|--|
| | Specific Conc. Limits, M-factors and ATE | | | |
| 110-54-3 | 203-777-6 | n-hexane | 0,1 - < 1 % | |
| | STOT RE 2; H373: >= 5 - 100 | | | |
| 99-97-8 | 202-805-4 | N,N-dimethyl-p-toluidineN,N-dimethyl-p-toluidine | 0,1 - < 1 % | |
| | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg | | | |

Further Information

No information available.

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 3 of 12

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Let water be drunk in little sips (dilution effect).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂)

alcohol resistant foam

Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Highly flammable

In use, may form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Full protection suit

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with eyes and skin.

Use personal protection equipment.

For non-emergency personnel

Remove persons to safety.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 4 of 12

For emergency responders

First aider: Pay attention to self-protection!

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Wear personal protection equipment (refer to section 8).

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Wash hands and face before breaks and after work and take a shower if necessary.

Separate storage of work clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

Further information on handling

No information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a place accessible by authorized persons only.

Keep container tightly closed in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent, Pyrophoric or self-heating substances

Further information on storage conditions

No information available.

7.3. Specific end use(s)

Activator

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|----------|-------------|-----|-------------------|---------------------|-----------|--------|
| 110-82-7 | Cyclohexane | 200 | 700 | | TWA (8 h) | |
| 110-54-3 | n-Hexane | 20 | 72 | | TWA (8 h) | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 5 of 12

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|----------|-----------|----------------|----------|---------------|---------------------------------|
| 110-54-3 | Hexane | 2,5-Hexanedion | 0.4 mg/L | Urine | End of shift at end of workweek |

Additional advice on limit values

No information available.

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

In use, may form flammable/explosive vapour-air mixture.

Use explosion-proof electrical equipment.

Use non-sparking tools.

Protective and hygiene measures

When using do not eat or drink.

Do not breathe gas/fumes/vapour/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: $\geq 0,7\text{mm}$

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time: $\geq 480\text{ min}$

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Used working clothes should not be worn outside the work area.

Separate storage of work clothes.

Wear anti-static footwear and clothing

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device (full mask or mouthpiece) with filter: a

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 6 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: Solvents

Test method

pH-Value: not determined

Changes in the physical state

Melting point/freezing point: @1718.B0172 °C

Boiling point or initial boiling point and boiling range: 93-97 °C

Sublimation point: not determined

Softening point: not determined

Pour point: not determined

not determined:

Flash point: -4 °C

Sustaining combustion: No data available

Flammability

Solid/liquid: not applicable

Explosive properties

Es sind keine Daten für die Mischung verfügbar.

Lower explosion limits: 0,84 vol. %

Upper explosion limits: 6,7 vol. %

Auto-ignition temperature: 205 °C

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Es sind keine Daten für die Mischung verfügbar.

Vapour pressure: 47 hPa
(at 20 °C)

Vapour pressure: 189 hPa
(at 50 °C)

Density (at 20 °C): 0,7 g/cm³

Bulk density: not determined

Water solubility: not determined OECD 116

Solubility in other solvents

nicht bestimmt

Partition coefficient n-octanol/water: not determined

Viscosity / dynamic: not determined

Viscosity / kinematic: not determined

Flow time: not determined

Relative vapour density: not determined

Evaporation rate: not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 7 of 12

Solvent separation test: not determined
Solvent content: 15,00 %

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flüssigkeit und Dampf leicht entzündbar.

10.2. Chemical stability

Das Produkt ist bei Lagerung bei normalen Umgebungstemperaturen stabil.

10.3. Possibility of hazardous reactions

Es sind keine gefährlichen Reaktionen bekannt.

10.4. Conditions to avoid

Von Wärmequellen fernhalten (z.B. heiße Oberflächen), Funken und offenen Flammen. Dämpfe können mit Luft explosionsfähige Gemische bilden.

10.5. Incompatible materials

Es liegen keine Informationen vor.

10.6. Hazardous decomposition products

Es sind keine gefährlichen Zersetzungsprodukte bekannt.

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATE_{mix} calculated

ATE (oral) 14286 mg/kg; ATE (dermal) 42857 mg/kg; ATE (inhalation vapour) 428,6 mg/l; ATE (inhalation dust/mist) 71,43 mg/l

| CAS No | Chemical name | | | | |
|---------|--------------------------|---------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 99-97-8 | N,N-dimethyl-p-toluidine | | | | |
| | oral | ATE 100 mg/kg | | | |
| | dermal | ATE 300 mg/kg | | | |
| | inhalation vapour | ATE 3 mg/l | | | |
| | inhalation dust/mist | ATE 0,5 mg/l | | | |

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 8 of 12

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

No information available.

Additional information on tests

Das Gemisch ist als gefährlich eingestuft im Sinne der Verordnung (EG) Nr. 1272/2008 [CLP]. Besondere vom Stoff oder Gemisch ausgehende Gefahren!

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

No information available.

Further information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

| CAS No | Chemical name | | | | | |
|----------|---------------------|------|-----------|---------|---------------------|--------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 110-54-3 | n-hexane | | | | | |
| | Acute fish toxicity | LC50 | 2,5 mg/l | 96 h | Pimephales promelas | Geiger et al. 1990 |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Es liegen keine Informationen vor.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|--------------------------|---------|
| 110-54-3 | n-hexane | 3,9 |
| 99-97-8 | N,N-dimethyl-p-toluidine | 2,81 |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
No information available.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 9 of 12

Further information

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1206
14.2. UN proper shipping name: HEPTANES
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1206
14.2. UN proper shipping name: HEPTANES
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 1206
14.2. UN proper shipping name: HEPTANES
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 10 of 12



Marine pollutant: P
Special Provisions: -
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1206
14.2. UN proper shipping name: HEPTANES
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Special Provisions: A3
Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2
IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Heptane

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 29, Entry 40, Entry 57, Entry 75

Directive 2010/75/EU on industrial emissions: 100 % (700 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 100 % (700 g/l)

Information according to Directive 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

Additional information: P5c

National regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 11 of 12

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 6.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Asp. Tox. 1; H304 | |
| Skin Irrit. 2; H315 | |
| STOT SE 3; H336 | |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H331 Toxic if inhaled.
H336 May cause drowsiness or dizziness.
H340 May cause genetic defects.
H350 May cause cancer.
H361f Suspected of damaging fertility.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BCY01

Revision date: 11.02.2024

Page 12 of 12

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|-------------|-----|----|----|------|-----|----|----|---------------|
| 1 | Aktivator | - | - | - | - | - | - | - | Aktivator |

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)