

Safety data sheet
according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

1 Identification

- **Product identifier**
 - **Trade name: ABM75**
 - **Other means of identification**
 - **Article number: 1-ABM75**
 - **Relevant identified uses of the substance or mixture and uses advised against**
 - **Product category** PC1 Adhesives, sealants
 - **Application of the substance / the mixture** Sealant
 - **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
HOTTINGER BRUEL & KJAER UK LTD
Advanced Manufacturing Park Technology Centre
Brunel Way, Catcliffe, Rotherham
South Yorkshire, S60 5WG
United Kingdom
Phone: +44 (0) 1145 512230
Email: info@uk.hbm.com
 - **Informing department:**
Tel. +49(0)6131 19240
EMail support-esa@hbkworl.com
 - **Emergency telephone number:**
Gift-Informationszentrum Nord, Göttingen
Poison Information Center, Göttingen
Tel.: +49 (0)551 19240
(German and English only)
- United Kingdom:
National Poisons Information Service
Emergency number: +44 844 892 0111
- Poisons Information Centre of Ireland:
+353 1 837 9964 for medical professionals
+353 1 809 2166 for public inquiries
CHEMTREC: +44 20 3807 3798 (24h emergency call).
Outside continental USA please call CHEMTREC at +1-703-527-3887 (R-calls are accepted).

2 Hazards identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Additional information:**
Please refer to further labelling elements in section 15 of this safety data sheet, if applicable.

(Contd. on page 2)

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: ABM75


(Contd. from page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below including additives not requiring identification.

- **Dangerous components:**

| | | | |
|------------|---|---|-----------|
| 7429-90-5 | aluminium | | 25 - 50% |
| 14807-96-6 | Talc (Mg ₃ H ₂ (SiO ₃) ₄) | | 10 - 25% |
| 8002-74-2 | Paraffin waxes and Hydrocarbon waxes | | 2.5 - 10% |
| 8012-95-1 | Paraffin oils |  Asp. Tox. 1, H304 | < 2.5% |

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information**
Personal protection for the First Aider.
If symptoms occur or in case of doubt consult a doctor.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**
Wash contaminated clothing before re-use.
Wash with water and soap.
- **After eye contact**
Do not rub eyes dry, the mechanical stress can cause additional cornea damages.
Remove contact lenses if possible.
In case of permanent aches and pains please go and see the doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Avoid vomiting.
In case of persistent symptoms consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
Use fire fighting measures that suit the environment.
Alcohol-resistant foam, extinguishing powder or carbon dioxide. Fight larger fire with water spray.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **Special hazards arising from the substance or mixture**
Inhalation of combustion gases may cause serious health hazards.
During incomplete combustion carbon monoxide can be formed.

(Contd. on page 3)

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: ABM75

(Contd. from page 2)

- **Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information** Remove goods in stock from incendiary zone, if possible.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **For non-emergency personnel** Avoid contact with the product.
- **For emergency responders** Put on suitable personal protective equipment.
- **Environmental precautions:** Do not allow to enter drainage system, ground/soil and water bodies.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for information on disposal.

7 Handling and storage

- **Precautions for safe handling** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Handling**
 - Do not eat, drink or smoke while working.
 - Wash contaminated clothing before re-use.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
 - Requirements to be met by storerooms and containers:** No special requirements.
 - Information about storage in one common storage facility:** Not required.
 - Further information about storage conditions:** None.
 - Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 - WEL: workplace exposure limit
 - OEL: Occupational Exposure Limit

7429-90-5 aluminium

| | |
|---------------------|---|
| PEL (Singapore) | Long-term value: 10 mg/m ³ dust |
| WSH (Singapore) | Long-term value: 10* mg/m ³ *metal dust |
| PEL (Malaysia) | Long-term value: 10 mg/m ³ Habuk logam |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust |

14807-96-6 Talc (Mg₃H₂(SiO₃)₄)

| | |
|-----------------|--------------------------------------|
| PEL (Singapore) | Long-term value: 2 mg/m ³ |
|-----------------|--------------------------------------|

(Contd. on page 4)

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: **ABM75**

(Contd. from page 3)

| | |
|---|---|
| WSH (Singapore) | Long-term value: 2 mg/m ³ |
| PEL (Malaysia) | Long-term value: 2 mg/m ³ |
| WEL (Great Britain) | Long-term value: 1 mg/m ³ |
| 8002-74-2 Paraffin waxes and Hydrocarbon waxes | |
| WSH (Singapore) | Long-term value: 2 mg/m ³ fume |
| PEL (Malaysia) | Long-term value: 2 mg/m ³ |
| WEL (Great Britain) | Short-term value: 6 mg/m ³ Long-term value: 2 mg/m ³ |

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** Wash hands during breaks and at the end of the work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
With a lamination strenght of 0,11 mm the permeation time is > 480 min.
- **Eye protection:** Not required.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Solid
- **Colour:** Green
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not applicable.
- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** Not determined
- **Flash point:** > 100 °C
- **Evaporation rate** Not applicable.
- **Inflammability (solid, gaseous)** Not determined.
- **Critical values for explosion:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not applicable.

(Contd. on page 5)

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: ABM75

(Contd. from page 4)

- **Vapour density** Not applicable.
 - **Density at 20 °C** 1.12 g/cm³
 - **Relative density** Not determined.
 - **Solubility in / Miscibility with**
 - **Water:** Insoluble
 - **Partition coefficient: n-octanol/water:** Not determined.
 - **Auto-ignition temperature:** Product is not selfigniting.
 - **Decomposition temperature:** Not determined.
 - **SADT**
 - **Viscosity:**
 - **kinematic:** Not applicable.
 - **dynamic:** Not applicable.
 - **Particle characteristics** No further details.
-
- **Other information**
 - **Appearance:**
 - **Form:** Liquid
 - **Important information on protection of health and environment, and on safety.**
 - **Self-inflammability:** Product is not selfigniting.
 - **Explosive properties:** Product is not explosive.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

8012-95-1 Paraffin oils

| | | |
|--------|------|------------------------|
| Oral | LD50 | > 5,000 mg/kg (Rat) |
| Dermal | LD50 | > 2,000 mg/kg (rabbit) |

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

-SG

(Contd. on page 6)

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: ABM75

(Contd. from page 5)

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

8012-95-1 Paraffin oils

| | |
|---------------|---|
| EC50 (static) | 31.8 mg/l/48h (<i>Daphnia magna</i>) |
| IC50 | 89.9 mg/l/72h (<i>Raphidocelis subcapitata</i>) |
| LC50 | > 100 mg/l/96h (<i>Oncorhynchus mykiss</i>) |

- **Persistence and degradability** No further relevant information available.
- **Other information:** There are no data available about the preparation.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Dispose of packaging according to regulations on the disposal of packagings.
Non contaminated packagings can be used for recycling.
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

14 Transport information

- **UN-Number**
- **ADR/RID, IMDG, IATA** Void
- **UN proper shipping name**
- **ADR/RID, ADN, IMDG, IATA** Void
- **Transport hazard class(es)**
- **ADR/RID, ADN, IMDG**
- **Class** Void
- **IATA**
- **Class** Void
Not Restricted.

(Contd. on page 7)

SG

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: ABM75

(Contd. from page 6)

| | |
|---|--|
| · Packing group | |
| · ADR/RID, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · Special precautions for user | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

- **Poisons Act - Schedule 1**

None of the ingredients is listed.

- **Poisons Act - Schedule 2, Group II**

None of the ingredients is listed.

- **Health Products Act - First Schedule - Psychotropic Substances**

None of the ingredients is listed.

- **National regulations**

- **Water hazard class:**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is contained.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.


16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

- **Department issuing data specification sheet:**

 **DEKRA** This Safety Data Sheet has been drawn up in cooperation with:
DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

- **Kit-Components:**

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 8)

Safety data sheet

according SS 586 : Part 3

Date of issue: 31.08.2025

Version number 1

Revision: 21.08.2025

Trade name: ABM75

(Contd. from page 7)

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Asp. Tox. 1: Aspiration hazard – Category 1

*** Data compared to the previous version altered.**

SG